



"The Perfect Union of Style and Safety"







Techno Industrial Corporation

Leading manufacturing of Fence Fittings —
Providing Tailored Solutions for Global Clients

Since our establishment in 2021, we have been dedicated to serve the fence fittings industry by supplying high-quality Hot Dipped Galvanized and Colour-Coated products for Residential, Commercial and Agricultural applications. We offer a comprehensive range of fence fitting in various sizes to meet diverse project needs.

With strong supply chain networks and advanced manufacturing capabilities, we are equipped to meet the growing demand for durable and reliable fence fittings. Our approach is combined with cutting-edge technology, technical expertise and a commitment to innovation to consistently deliver top-tier products to our valued clients.

We focus on precision, raw material quality, dimensional accuracy and functional efficiency to ensure superior performance across all our offerings.

We're proud to have earned the trust of clients worldwide through our dedication for continuous improvement, product innovation, and high standards of quality. Over the years, our business model has evolved, but our core commitment to manufacturing excellence has remained unchanged.

Techno Industrial Corporation's consistent product quality, industry-leading performance and strong manufacturing program are supported by advanced system including 5S and lean management practices. Our ecosystem is further strengthened by effective marketing strategies and an unwavering focus on customer satisfaction.







MISSION & VISION

Whenever it comes to precision in fencing accessories, **Techno Industrial Corporation** stands out with its expertise in engineering and manufacturing high-quality fence fittings. We consistently deliver products with a strong focus on customer satisfaction, all at highly competitive prices.

As a prominent manufacturer, exporter and supplier, we specialize in Hot Dipped Galvanized Pressed Steel Products, Fastners, Bands, Wood Gate Fittings and Color-Coated Fence Components, serving clients across the USA and Canada. Our goal is to expand our product range while maintaining a customer-first approach and delivering top-tier quality at cost-effective rates.

STRATEGY Our goal is to provide our clients with the finest fence fittings through:

- ✓ Effective and resilient supply chain operations
- ✓ Strict quality control processes
- ✓ Complete customer satisfication

STRENGTHS

Our journey to becoming a leading name in fence fittings has been powered by overcoming challenges through our core strengths, which include:

- ✓ A broad and efficient distribution network
- ✓ Advanced and modern infrastructure
- ✓ Strong marketing capabilities
- ✓ A team of experienced and skilled professionals
- ✓ Unwavering focus on quality control



Experience Excellence... Innovative Solutions

Techno Industrial Corporation's robust manufacturing program is strongly supported by the implementation of 5S and lean management systems. The overall ecosystem is further enhanced through dynamic and modern marketing strategies.





CATEGORIES



Press Steel Items





Colour Coated Items

Bands





Wood Gate Fittings



Manufacturing Facility

Techno Industrial Corporation is State-of-the-Art manufacturing facility in India with latest Machinery and Trained Workforce.







Manufacturing Facility









BOULEVARD CLAMP



BRACE BAND



BULL DOG HINGE



COLLAR



COMBO RAIL END



DOME POST CAP



PRESS STEEL ITEMS



DOUBLE GATE LATCH



ECONOMY WOOD TO STEEL ADAPTER



END RAIL CLAMP



END WOOD TO STEEL ADAPTER



FEMALE HINGE HEAVY



FEMALE HINGE REGULAR



FORK



FORK LATCH



GATE CLIP



GATE CORNER (INDUSTRIAL)



INDUSTRIAL FORK



INDUSTRIAL GUIDE



PRESS STEEL ITEMS



INDUSTRIAL OFFSET HINGE



LOOP CAP REGULAR



MALE HINGE REGULAR



OFFSET RAIL END



PANEL CLAMP



POST CAP



RAIL END HALFMOON



SADDLE CLAMP



SLEEVE




TRUSS TIGHTENER PS



PRESS STEEL ITEMS

SR.NO.	PRODUCT NAME	SIZE
1	TENSION BAND-REG.	1.3/8" x 3/4"
2	TENSION BAND-REG.	1.5/8" X 3/4"
3	TENSION BAND-REG.	2" X 3/4"
4	TENSION BAND-REG.	2.1/2" X 3/4"
5	TENSION BAND-REG.	3" X 3/4"
6	TENSION BAND-REG.	4" X 3/4"
7	BOULEVARD CLAMP	1.5/8" X 1.5/8"
8	BOULEVARD CLAMP	2" X 1.3/8"
9	BOULEVARD CLAMP	2" X 1.5/8"
10	BOULEVARD CLAMP	2.1/2" X 1.5/8"
11	BOULEVARD CLAMP	3" X 1.5/8"
12	BOUEVARD CLAMP	4" X 1.5/8"
13	END RAIL CLAMP	2" X 1.3/8"
14	END RAIL CLAMP	2" X 1.5/8"
15	END RAIL CLAMP	2.1/2" X 1.3/8"
16	END RAIL CLAMP	2.1/2" X 1.5/8"
17	END RAIL CLAMP	3" X 1.5/8"
18	LOOP CAP-REG.	1.5/8" X 1.3/8"
19	LOOP CAP-REG.	1.5/8" X 1.5/8"
20	LOOP CAP-REG.	2" X 1.5/8"
21	LOOP CAP-REG.	2.1/2" X 1.5/8"
22	LOOP CAP-REG.	3" X 1.5/8"
23	LOOP CAP-REG.	4" X 1.5/8"
24	POST CAP	1.3/8'
25	POST CAP	1.5/8'
26	POST CAP	2"
27	POST CAP	2.1/2"

SR.NO.	PRODUCT NAME	SIZE
28	POST CAP	3"
29	POST CAP	4"
30	POST CAP	6.5/8"
31	POST CAP	8.5/8"
32	OFFSET RAIL END	1.3/8"
33	OFFSET RAIL END	1.5/8"
34	BRACE RAIL END HALFM	1.5/8"
35	COLLAR	1.3/8"
36	COLLAR	1.5/8"
37	COLLAR	2"
38	SLEEVE	1.3/8"
39	SLEEVE	1.5/8"
40	SADDLE CLAMP	1.3/8" X 1.3/8"
41	PENNEL CLAMP	1.3/8" X 1.3/8"
42	TRUSS TIGHTNER	5" X 1"
43	GATE CLIP	1.3/8"
44	FEMALE HINGE-REG.	1.3/8" X 5/8" X 1"
45	FEMALE HINGE-REG.	1.5/8" X 5/8" X 1"
46	MALE HINGE-REG.	2" X 5/8"X 1"
47	MALE HINGE-REG.	2.1/2" X 5/8"X 1"
48	MALE HINGE-REG.	3" X 5/8"X 1.1/4"
49	WOOD TO STEEL ADOPTE	2.1/2" (ECON)
50	FORK-PS	1.3/8"
51	FORK-PS	1.5/8"
52	FORK-PS	2"
53	FORK-PS	2.1/2"
54	FORK-PS	3"



A fastener or fastening is a hardware device that mechanically joins or affixes two or more objects together.

In general, fasteners are used to create non-permanent joints; that is, joints that can be removed or dismantled without damaging the joining components.









CARRIAGE BOLT & NUTS

J-BOLT

MALE LAG HINGE


EYE HINGE

CARRIAGE BOLT	5/16" X 1.1/4"	CARRIAGE BOLT	3/8" X 2"
CARRIAGE BOLT	5/16" X 1.1/2"	CARRIAGE BOLT	3/8" X 2.1/2"
CARRIAGE BOLT	5/16" X 2"	CARRIAGE BOLT	3/8" X 3"
CARRIAGE BOLT	5/16" X2.1/2"	CARRIAGE BOLT	3/8" X 3.1/2"
CARRIAGE BOLT	3/8" X 1.1/2"	J-BOLT	1/2" X 4"















BRACE BAND BEVELLED



BRACE BAND HEAVY



BRACE BAND REGULAR



TENSION BAND BEVELLED



TENSION BAND REGULAR

Brace band	2 1/2"
Brace band	2"
Brace band	3"
Brace band	4"
Tension band Bevelled	6 5/8"
Brace Band Bevelled	6 5/8"





SS SELF LOCKING HINGE STANDARD TO STANDARD



TRADITIONAL STRAP HINGE



TRADITIONAL T HINGE



SS HINGE STANDARD TO STANDARD



ULTIMA TOP AND BOTTOM



SS SELF CLOSING SPRING



WOOD DOOR FITTINGS




UNIVERSAL GRAVITY LATCH



CANE BOLT



SELF CLOSING SPRING



SS POST LATCH DELUX



GATE PULL



ОТН



HEAVY DUTY GATE LATCH



POST LATCH



WOOD DOOR FITTINGS



TEE HINGE TRADITIONAL (PAIR)



TEE HINGE TRADITIONAL PB



TRADITIONAL POST LATCH DELUX



ULTIMA LATCH PB







WOOD DOOR FITTINGS

Item	Description		Metal	Color	Quantity	Image
			Stainless	Black	12	= = /
		Calf Clasica	Stainless	White	12	= 1/
		Self Closing	Zinc	Black	12	
	1.75" Wrap		ZINC	White	12	
	1.75 Wrap		Stainless	Black	12	= -
		NON-Self Closing	Stalliless	White	12	
		NON-Self Closing	Zinc	Black**	12	
			ZINC	White	12	
			Stainless	Black	12	
		Self Closing	Stainless	White	12	3
S		Sell Closing	7:	Black**	12	
ge	211 14/		Zinc	White	12	
Hinges	2" Wrap		Chainless	Black	12	
I		NON Calf Classica	Stainless	White	12	
		NON-Self Closing	7:	Black	12	
			Zinc	White	12	
			Chainlean	Black	12	
		Calf Clasica	Stainless	White	12	= 16
		Self Closing	7:	Black	12	3
	2 5 11 1 1 - 1 1 - 1 1 - 1		Zinc	White	12	2
	3.5" Vinyl to Vinyl		6	Black	12	=
			Stainless	White	12	
		NON-Self Closing		Black**	12	
			Zinc	White	12	
			Stainless*	Black	20	
1 1				White	20	
1 1	Single Lock	king	Zinc	Black**	20	
1 1				White	20	
ι			Stainless	Black	20	
Latches				White	20	
4	Double Loc	king		Black**	20	
Ľ			Zinc	White	20	
			Stainless	Black	20	Į.
1 1	Destricted D			White	20	
	Residential P	addie	Zinc	Black**	20	
				White	20	1.1
			Stainless	Black	10	
S	36" OF With Dine	h Tah Stans	Stainless	White	10	data 🛷 📠 .
ğ	36" - 06 With Pinc	n rab stops	7:	Black**	10	
ı z			Zinc	White	10	
Drop Rods			Stainless*	Black	10	
임	26" 07 W/46	Uaaaaa	Stainless	White	10	11/11/11 1 1
	36" - 07 With	nanger	Zinc	Black**	10	
			Zinc	White	10	
			Etaipless	Black	10	
امما	Cinalo Divert	Mhool	Stainless	White	10	C Tummun
Anti-Sag	Single Pivot Wheel		Zinc	Black**	10	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
¥				White	10	
Ξ	Gate Cable Kit			Black**	50	8 50
▼				White	50	
				Clear	50	2 # # W


*Special Order Items **Items Pictured











Check List

Find all of the products in sections:

- A Fabric
- B Pipe and Tube
- **C** Fittings
- **D** Accessories




Chain link fabric manufactured by us is distributed at several US locations.

Selvage describes how the ends of the chain link wires are finished for the top and bottom of the fabric. Knuckle means that the ends of the wires are folded over each other. Twist means the wires are twisted together to form pointed prongs. Residential fabric uses larger mesh sizes and smaller gauges, and commercial/industrial uses smaller mesh sizes and larger gauge diameters. The smallest mesh sizes, from 1-1/4" to 3/8", are High Security/Mini-Mesh.

Galvanized Before Weaving (GBW)

In this process, the wire is pre-galvanized before it is formed into a fabric. The weaving process creates an exposed cut end that will lack coating and be more apt to some minor rust in wet and severe weather conditions.


Selvage



Galvanized Wire Gauges



Available Mesh Sizes



Process	Coating	Gauge	Diameter	Class	ASTM
	0.80 oz	11-1/2	0.113"	Class 3	A 817 Type II
GBW	1.2 oz	11-1/2	0.113"	Class 1	A 392
	1.2 oz	11	0.120"	Class 1	A 392
	1.2 oz	9	0.148"	Class 1	A 392



2-3/8" - 11-1/2 Gauge (0.113") GBW / .80 oz./Ft.² Zinc Coating

Meets ASTM A817 Type II Class 3 • Feet Per Roll: 50

HEIGHT	WEIGHT PER FT.
3′	1.09
42"	1.28
4'	1.47
5'	1.83
6′	2.20

2-1/4" – 11-1/2 Gauge (0.113") GBW / 1.2 oż./Ft. Zinc Coating

Meets ASTM A 392, Class 1 • Feet Per Roll: 50

HEIGHT	WEIGHT PER FT.
4'	1.60
5′	1.99
6′	2.40

2" – 11 Gauge (0.120") GBW / 1.2 oz./ft.² Zinc Coating

Meets ASTM A 392, Class 1 • Feet Per Roll: 50

HEIGHT	WEIGHT PER FT.	
3'	1.45	
42"	1.70	
4'	1.95	
5'	2.45	
6'	2.80	
7'	3.40	
8'	3.80	
10'	4.85	
12'	5.80	

2 " - 9 Gauge (0.148") GBW / 1.2 oz./ft.² Zinc Coating

Meets ASTM A 392, Class 1 • Feet Per Roll: 50

HEIGHT	WEIGHT PER FT.	
3'	2.15	
42"	2.51	
4'	2.90	
5′	3.60	
6'	4.30	
7'	5.05	
8'	5.80	
10'	7.20	
12'	8.70	



Catering requirements for whole of USA and Canada.

Presently supplying to large export houses

For more information, please contact

Techno Industrial Corporation

(EXPORT DIVISION)

ENGINEERS & FABRICATORS

Works : Khasra No. 541/462/160, Khatta No. 44/111 Lalru (Near Chandigarh) Samal Heri, District: SAS Nagar-140506 Punjab, Mobile : +91-98767-92821

www.technoindustrialcorporation.com